

|          |                                                            |           |
|----------|------------------------------------------------------------|-----------|
| <b>I</b> | <b>Plant Breeding and Population Genetics</b>              | <b>1</b>  |
| <b>1</b> | <b>Introduction</b>                                        | <b>3</b>  |
| 1.1      | Plant Breeding and Quantitative Traits . . . . .           | 3         |
| 1.2      | Genetic Effects and the One-Locus Model . . . . .          | 5         |
| 1.3      | Modes of Reproduction in Plants . . . . .                  | 6         |
| 1.4      | Population Structures and Types of Cultivars . . . . .     | 7         |
| 1.5      | Breeding Procedures and Programs . . . . .                 | 10        |
| <b>2</b> | <b>Genetics of Breeding Populations</b>                    | <b>17</b> |
| 2.1      | Genotype and Allele Frequencies in a Population . . . . .  | 17        |
| 2.2      | Hardy-Weinberg Equilibrium . . . . .                       | 18        |
| 2.3      | Linkage . . . . .                                          | 22        |
| 2.4      | Linkage Disequilibrium and Lack of Random Mating . . . . . | 24        |
| 2.5      | Molecular Markers and Linkage Maps . . . . .               | 27        |
| 2.6      | Small Population Sizes . . . . .                           | 29        |
| 2.7      | Selection . . . . .                                        | 33        |
| 2.8      | Assortative Mating . . . . .                               | 36        |
| 2.9      | Inbreeding and Relatedness . . . . .                       | 37        |
| 2.9.1    | Concepts of Inbreeding and Relationship . . . . .          | 37        |
| 2.9.2    | Identity by Descent in Pedigrees . . . . .                 | 41        |
| 2.9.3    | Estimating Relatedness with Molecular Markers . . . . .    | 47        |

|            |                                                              |            |
|------------|--------------------------------------------------------------|------------|
| <b>II</b>  | <b>Means of Genotypes and Breeding Populations</b>           | <b>55</b>  |
| <b>3</b>   | <b>Phenotypic and Genotypic Values</b>                       | <b>57</b>  |
| 3.1        | Phenotype as a Function of Genes and Environment . . . . .   | 57         |
| 3.2        | Population Mean for a One-Locus Model . . . . .              | 60         |
| 3.3        | Effects of Alleles . . . . .                                 | 62         |
| 3.4        | Breeding Values and Dominance Deviations . . . . .           | 66         |
| 3.5        | Means and Values in $F_2$ and $BC_1$ Populations . . . . .   | 69         |
| 3.6        | Breeding Values versus Genotypic Values . . . . .            | 69         |
| 3.7        | Two-Locus Model: Epistatic Effects . . . . .                 | 71         |
| 3.8        | Testcross Effect of an Allele . . . . .                      | 73         |
| 3.9        | General and Specific Combining Ability . . . . .             | 75         |
| <b>4</b>   | <b>Selecting Parents to Maximize Mean Performance</b>        | <b>77</b>  |
| 4.1        | Parental Selection in Cultivar Development . . . . .         | 77         |
| 4.2        | Mean of Recombinant Inbreds . . . . .                        | 79         |
| 4.3        | Fixation of Favorable Alleles . . . . .                      | 81         |
| 4.4        | $F_2$ versus Backcross Populations . . . . .                 | 83         |
| 4.5        | Heterotic Groups and Testcross Means . . . . .               | 85         |
| 4.6        | Progeny Mean in Asexually Propagated Species . . . . .       | 88         |
| <b>5</b>   | <b>Mapping Quantitative Trait Loci</b>                       | <b>91</b>  |
| 5.1        | Linkage Mapping of QTL . . . . .                             | 91         |
| 5.1.1      | General Approach . . . . .                                   | 91         |
| 5.1.2      | Means of Marker Genotypes . . . . .                          | 92         |
| 5.1.3      | Single-Factor Analysis and Interval Mapping . . . . .        | 96         |
| 5.1.4      | Multiple-Marker Analysis . . . . .                           | 98         |
| 5.1.5      | Choice of Method for QTL Mapping . . . . .                   | 102        |
| 5.2        | Significance Tests and False Discovery Rate . . . . .        | 103        |
| 5.3        | Selective Genotyping and Phenotyping . . . . .               | 106        |
| 5.4        | Association Mapping . . . . .                                | 109        |
| 5.4.1      | Marker-Trait Associations and Population Structure . . . . . | 109        |
| 5.4.2      | Linkage Disequilibrium . . . . .                             | 111        |
| 5.4.3      | Association Mapping versus Linkage Mapping . . . . .         | 114        |
| 5.5        | Introgression Libraries and AB-QTL Analysis . . . . .        | 115        |
| 5.6        | Gene Expression Profiling . . . . .                          | 117        |
| 5.7        | Candidate Genes and Comparative Mapping . . . . .            | 118        |
| <b>III</b> | <b>Variation in Breeding Populations</b>                     | <b>121</b> |
| <b>6</b>   | <b>Phenotypic and Genetic Variances</b>                      | <b>123</b> |
| 6.1        | Variation due to Genes and Environment . . . . .             | 123        |
| 6.2        | Additive Variance and Dominance Variance . . . . .           | 125        |
| 6.3        | Epistatic Variance . . . . .                                 | 129        |

|      |                                                                |     |
|------|----------------------------------------------------------------|-----|
| 6.4  | Genetic Variances from a Factorial Model . . . . .             | 131 |
| 6.5  | Covariance between Relatives . . . . .                         | 134 |
| 6.6  | Variance among Testcross, Half-Sib, and Full-Sib Families .    | 137 |
| 6.7  | Covariance between Single Crosses . . . . .                    | 139 |
| 6.8  | Covariance between Selfed Relatives in an $F_2$ Population . . | 141 |
| 6.9  | Heritability . . . . .                                         | 143 |
| 6.10 | Usefulness Criterion . . . . .                                 | 145 |
| 6.11 | Linkage and Genetic Variances . . . . .                        | 146 |
| 6.12 | Genetic Variances in Autotetraploid Species . . . . .          | 147 |
| 6.13 | Maintenance of $V_A$ by Epistasis . . . . .                    | 149 |
| 6.14 | Molecular Markers and Trait Variation . . . . .                | 150 |

## **7 Mating Designs and Estimating Genetic Variances 155**

|       |                                                           |     |
|-------|-----------------------------------------------------------|-----|
| 7.1   | Why Estimate Genetic Variances? . . . . .                 | 155 |
| 7.2   | One-Factor Design with Random Progeny . . . . .           | 157 |
| 7.2.1 | Approach . . . . .                                        | 157 |
| 7.2.2 | Assumptions . . . . .                                     | 158 |
| 7.2.3 | Analysis . . . . .                                        | 159 |
| 7.3   | Precision of Estimates of Genetic Variances . . . . .     | 163 |
| 7.4   | Dominance and Epistatic Variances . . . . .               | 166 |
| 7.5   | Predicting Genetic Variances . . . . .                    | 167 |
| 7.6   | Diallel and Factorial Design with Fixed Parents . . . . . | 169 |
| 7.7   | Reliability versus Heritability . . . . .                 | 171 |

## **8 Genotype $\times$ Environment Interaction 175**

|       |                                                                    |     |
|-------|--------------------------------------------------------------------|-----|
| 8.1   | Genotypic Values in Different Environments . . . . .               | 175 |
| 8.2   | Handling Genotype $\times$ Environment Interaction . . . . .       | 178 |
| 8.3   | $V_e$ , $V_{GE}$ , and Number of Replications and Environments . . | 180 |
| 8.4   | Partitioning Environments into Homogeneous Subgroups . .           | 184 |
| 8.4.1 | Cluster Analysis . . . . .                                         | 184 |
| 8.4.2 | Principal Components Analysis . . . . .                            | 187 |
| 8.5   | Stability Analysis . . . . .                                       | 189 |
| 8.6   | Multiplicative Models . . . . .                                    | 193 |
| 8.6.1 | AMMI Model . . . . .                                               | 193 |
| 8.6.2 | Sites Regression Analysis . . . . .                                | 197 |
| 8.7   | QTL $\times$ Environment Interaction . . . . .                     | 198 |
| 8.8   | Envirotyping and Reaction Norms . . . . .                          | 200 |

## **IV Selection in Breeding Populations 203**

### **9 Inbred and Testcross Selection 205**

|     |                                                     |     |
|-----|-----------------------------------------------------|-----|
| 9.1 | Variance among and within Selfed Families . . . . . | 205 |
| 9.2 | Variance at Different Selfing Generations . . . . . | 207 |
| 9.3 | Selection among versus within Families . . . . .    | 208 |

|           |                                                               |            |
|-----------|---------------------------------------------------------------|------------|
| 9.4       | Selection in $F_2$ versus $BC_1$ Populations . . . . .        | 211        |
| 9.5       | Stage of Evaluation . . . . .                                 | 212        |
| 9.5.1     | Selection during Early Generations . . . . .                  | 212        |
| 9.5.2     | Early versus Late Testing in Hybrid Crops . . . . .           | 213        |
| 9.5.3     | Effectiveness of Early Testing . . . . .                      | 215        |
| 9.6       | Choosing a Suitable Tester . . . . .                          | 217        |
| 9.7       | Selection with Major QTL . . . . .                            | 220        |
| 9.8       | $F_2$ Enrichment . . . . .                                    | 222        |
| 9.9       | Difficulties in Selection with Many QTL . . . . .             | 224        |
| <b>10</b> | <b>Best Linear Unbiased Prediction . . . . .</b>              | <b>229</b> |
| 10.1      | Usefulness of BLUP . . . . .                                  | 229        |
| 10.2      | Matrices . . . . .                                            | 232        |
| 10.2.1    | Types of Matrices . . . . .                                   | 232        |
| 10.2.2    | Matrix Operations . . . . .                                   | 233        |
| 10.2.3    | Usefulness of Matrices . . . . .                              | 237        |
| 10.3      | BLUP for Inbreds and Clones . . . . .                         | 238        |
| 10.3.1    | Linear Model . . . . .                                        | 238        |
| 10.3.2    | Interpretation of Random Effects . . . . .                    | 239        |
| 10.3.3    | Mixed-Model Equations . . . . .                               | 241        |
| 10.4      | Properties of $\hat{\beta}$ and $\hat{u}$ . . . . .           | 245        |
| 10.5      | BLUP for Single Crosses . . . . .                             | 247        |
| 10.5.1    | Genetic Effects . . . . .                                     | 247        |
| 10.5.2    | Mixed-Model Equations . . . . .                               | 250        |
| 10.6      | BLUP within a Breeding Population . . . . .                   | 252        |
| 10.7      | Estimation of Variances . . . . .                             | 253        |
| 10.8      | BLUP for Untested Inbreds and Clones . . . . .                | 256        |
| <b>11</b> | <b>Mixed-Model Analysis with Genomewide Markers . . . . .</b> | <b>261</b> |
| 11.1      | Genomic BLUP . . . . .                                        | 261        |
| 11.2      | Genomewide Prediction via Marker Effects . . . . .            | 262        |
| 11.3      | Framework for Genomewide Selection . . . . .                  | 268        |
| 11.4      | When to Use Genomewide Predictions . . . . .                  | 270        |
| 11.5      | Factors Affecting Predictive Ability . . . . .                | 277        |
| 11.5.1    | Heritability and Size of the Training Population . . . . .    | 277        |
| 11.5.2    | Relatedness . . . . .                                         | 278        |
| 11.5.3    | Linkage Disequilibrium . . . . .                              | 282        |
| 11.5.4    | Effective Number of Factors . . . . .                         | 286        |
| 11.5.5    | Inability to Predict the Prediction Accuracy . . . . .        | 286        |
| 11.5.6    | Other Prediction Models and Epistasis . . . . .               | 287        |
| 11.6      | Genomewide Selection with Major QTL . . . . .                 | 290        |
| 11.7      | Association Mapping via Mixed Models . . . . .                | 291        |
| 11.7.1    | Single Population or Heterotic Pattern . . . . .              | 291        |
| 11.7.2    | $QK$ Model for Multiple Subpopulations . . . . .              | 293        |
| 11.7.3    | $G$ Model . . . . .                                           | 296        |

|                                                                 |            |
|-----------------------------------------------------------------|------------|
| <b>12 Recurrent Selection</b>                                   | <b>299</b> |
| 12.1 Recurrent Selection in Cultivar Development . . . . .      | 299        |
| 12.2 Response to Selection . . . . .                            | 301        |
| 12.3 Predicted Response to Recurrent Selection . . . . .        | 304        |
| 12.3.1 Intrapopulation Selection . . . . .                      | 304        |
| 12.3.2 Interpopulation Selection . . . . .                      | 308        |
| 12.3.3 Comparing Recurrent Selection Methods . . . . .          | 310        |
| 12.4 Increasing the Response to Selection . . . . .             | 312        |
| 12.5 Genomewide Recurrent Selection . . . . .                   | 314        |
| 12.6 Long-Term Selection . . . . .                              | 317        |
| 12.6.1 Illinois Oil and Protein Selection Experiment . . . .    | 317        |
| 12.6.2 Selection Limits . . . . .                               | 318        |
| <b>13 Heterosis and Hybrid Prediction</b>                       | <b>323</b> |
| 13.1 History and Importance . . . . .                           | 323        |
| 13.2 Genetics of Heterosis . . . . .                            | 327        |
| 13.3 Design III and the Average Level of Dominance . . . . .    | 331        |
| 13.4 Identifying Heterotic Groups and Patterns . . . . .        | 333        |
| 13.5 Initial Approaches for Predicting Hybrid Performance . . . | 335        |
| 13.6 BLUP and GBLUP/RR-BLUP of Untested Single Crosses .        | 337        |
| 13.7 Three-Way Crosses, Double Crosses, and Synthetics . . . .  | 341        |
| <b>14 Selection for Multiple Traits</b>                         | <b>343</b> |
| 14.1 Genetic Correlation between Traits . . . . .               | 343        |
| 14.2 Correlated Response to Selection . . . . .                 | 346        |
| 14.3 Tandem Selection and Independent Culling Levels . . . . .  | 348        |
| 14.4 Index Selection . . . . .                                  | 351        |
| 14.5 Multiple-Trait Improvement in Practice . . . . .           | 355        |
| <b>15 Epilogue</b>                                              | <b>359</b> |
| <b>References</b>                                               | <b>363</b> |
| <b>Index</b>                                                    | <b>411</b> |